


Rockfon Rocklux®



Rockfon Rocklux®

- Sound insulating cap limiting sound transmission through in-ceiling technical installations (eg. audio visual equipment)
- Ideal in combination with Rockfon Blanka dB products for optimal confidentiality and privacy
- Suitable for a large range of technical installations in several modular dimensions
- Easy to install

Product Description

- Stone wool core
- Inner side: mineral fleece
- Outer side: aluminium foil

Application Areas

- Office
- Education
- Healthcare

Module size (mm)	Weight (kg/unit)	Recommended installation System	A1-A3 Production stage impact (kg CO ₂ eq/m ²)*	A1-C4 Full life cycle impact (kg CO ₂ eq/m ²)*
1105 x 1105 x 30***	4.2	-	3.88	4.82
1780 x 745 x 30****	4.5	-		

Rockfon Rocklux is delivered flat and must be assembled. Its internal/external dimensions when assembled are:

*** 725x725x130 / 785x785x160 mm: suitable for technical installations in modular sizes: 600x600, 625x625, 675x675 mm

**** 1400x365x130 / 1460x425x160 mm: suitable for technical installations in modular sizes: 1200x300, 1250x312.5, 1350x300 mm.

Use 2 pieces Rockfon Rocklux 1105x1105x30 mm assembled with aluminium tape for technical installations in modular sizes: 1200x600, 1250x625, 1350x600 mm.

Internal dimensions include min. 50mm oversize (total) for light fixing protrusions.

* For full environmental impact disclosure, see our product EPDs available on rockfon.link/uk-epd. Due to differences in calculation methods and scenario assumptions, environmental impact values are generally not directly comparable between manufacturers.



Performance



Reaction to fire

A1



Humidity and sag resistance

Up to 100% RH



Hygiene

Stone wool provides no sustenance to microorganisms



Recyclability

Fully recyclable stone wool



Indoor environment

Rockfon ceiling products are classified in Class E1 in accordance with EN 13964 (EN 717-1).



Material Health

All materials used in Rockfon products are screened against the list of substances restricted under REACH or recognized as Substances of Very High Concern (SVHC) on an ongoing basis. Rockfon stone wool fibres comply with the safe fibre EU regulation and hold an EUCEB certification.

04.2026 | All colour codes mentioned are based on the NCS - Natural Colour System® property of and used on license from NCS Colour AB, Stockholm 2012 or the RAL colour standard. Subject to alterations in range and product technology without prior notice. Rockfon accepts no responsibility for printing errors.

Sounds Beautiful

